

CERTIFIKATE OF FACTORY PRODUCTION CONTROL

No. REG2-0008-01-CPD-21-B

Issued: 26.05.2011

Replace the issue from: 02.12.2010

Producer **SGP POMGRAD – GM d.o.o.**
Bakovska ulica 31, 9000 Murska Sobota

Production place **Bakovska ulica 31, 9000 Murska Sobota and**
Flisova ulica 56, 2311 Hoče

Construction product Concrete
According to standard SIST EN 206-1:2003; SIST EN 206-1:2003/A1:2004;
SIST EN 206-1:2003/A2:2005 and SIST 1026:2008

No.	Recepy	Concrete type	Validity of recipy
1	R-62	C8/10-X0-CI 0.10-Dmax32-S3	valid
2	R-63	C8/10-X0-CI 0.10-Dmax16-S3	valid
3	R-60	C12/15-X0-CI 0.10-Dmax32-S3	valid
4	R-61	C12/15-X0-CI 0.10-Dmax16-S3	valid
5	R-58	C16/20-X0-CI 0.10-Dmax32-S3	valid
6	R-59	C16/20-X0-CI 0.10-Dmax16-S3	valid
7	R-56	C20/25-XC1-CI 0.10-Dmax32-S3	valid
8	R-57	C20/25-XC1-CI 0.10-Dmax16-S3	valid
9	R-8	C25/30-XC3-XD1-XA1-PV II-CI 0.10-Dmax32-S3	valid
10	R-9	C25/30-XC3-XD1-XA1-PV II-CI 0.10-Dmax16-S3	valid
11	R-50	C25/30-XC4-XD2-XF3-XA1-PV II-CI 0.10-Dmax32-S3	valid
12	R-80	C25/30-XC4-XD3-XA1-XF4-PV II--CI 0.10Dmax32-S3	valid
13	R-49	C25/30-XC4-XD3-XA1-XF4-PV II-Dmax16-S3	valid
14	R-45	C30/37-XC4-XD2-XA1-PVII-CI 0.10-Dmax32-S4	valid
15	R-25	C30/37-XC4-XD3-XA1-XF4-PVII-CI 0.10-Dmax32-S3	valid
16	R-52	C30/37-XC4-XD2-XA1-XF3-PVII-CI 0.10-Dmax32-S3	valid
17	R-76	C35/45-XC4-XD3-XA1-XF3-PV III-CI 0.10-Dmax32-S4	valid
18	R-92	C30/37-XC4-XD3-XA3-PV III-CI 0.10-Dmax32-S4	valid