

ANNEX TO THE CERTIFIKATE OF COMFORMITY OF FACTORY PRODUCTION CONTROL No. REG2-0008-01-ZGPro-1-121-B

Issued: 27.01.2021

Replace the issue from: 26.03.2020

Producer **KOLEKTOR CPG d.o.o.,
Industrijska cesta 2, Kromberg, 5000 Nova Gorica**

Production place **Betonarna LIEBHERR in Nuclear power plant Krško**

Construction product **Concrete**
According to standard **SIST EN 206:2013+A1:2016 and SIST 1026:2016**

No.	Recepy	Concrete type	Validity of recipe
1	NEK-24-1	C25/30 XC2 CI 0,2 D _{max} 16 S3	valid
2	NEK-13B-1	C30/37 XC4 CI 0,2 D _{max} 32 S3	valid
3	NEK-41B-1	C30/37 XC3 CI 0,2 D _{max} 8 S4	valid
4	NEK-26-1	C30/37 XC3/XF1 CI 0,2 D _{max} 16 S4	valid
5	NEK-26-XF3-1	C30/37 XC4/XD1/XF3 CI 0,2 D _{max} 16 S4	valid
6	NEK-13-1	C30/37 XC3 CI 0,2 D _{max} 32 S3	valid
7	NEK-13B-AK-1	C30/37 XC4 CI 0,2 D _{max} 32 S3	valid
8	NEK-26-XF4	C30/37 XC4/XD2/XF4 CI0,2 Dmax16 S4	valid
9	NEK-26-DIA	C30/37 XC4/XA1 CI 0,2 Dmax16 S5	valid
10	NEK-09-1	C16/20 X0 Dmax32 CI0,2 S3	valid
11	N E1 37 16 3	C30/37 XC3 CI0,2 Dmax16 S4	valid